

N
 1/4" = 1'-0"
 Reflected Ceiling Plan - Second Floor

Ceiling Plan Keynotes

1. PROVIDE BOXED BLOCKING FOR TELEVISION BRACKET IN CEILING. VERIFY LOCATION W/ EQUIPMENT SUPPLIER. TV TO BE PROVIDED BY TENANT. SEE DETAIL A15 / D2.
2. PROVIDE BOXED BLOCKING FOR DENTAL LIGHT. VERIFY EXACT LOCATION WITH EQUIPMENT SUPPLIER. SEE DETAIL A17 / D2
2. PROVIDE 2x12 BLOCKING FOR DENTAL TRACK LIGHT. VERIFY EXACT LOCATION WITH EQUIPMENT SUPPLIER. SEE DETAIL A18 / D2 AND A19/D2
3. ONE HOUR CEILING. SEE DETAIL A18 / D-1, PARTITION D FOR CONSTRUCTION.
4. PROVIDE 6" SOUND BATT INSULATION OVER TOP OF CEILING THIS ROOM.
5. BOTTOM OF PENDANTS AT 7'-0" A.F.F.. VERIFY HEIGHT WITH PENDANTS CHOSEN BY CLIENT.
6. SUSPENDED ACOUSTICAL TILE CEILING OPEN ON FOUR SIDES, PROVIDE METAL EDGING. SEE DETAIL.
7. J-BOX LOCATION FOR CHANDELIER. PROVIDE SUPPORT FOR MIN. 75 LBS.
8. CENTER TRACK LIGHT ON HEAD WALL. ALIGN ON SUSPENDED TRACK
9. CENTER RECESSED CAN LIGHTS IN HALL. SPACE EQUALLY DOWN HALL AS SHOWN.
10. CENTER PENDANT OVER LAVATORY
11. FLEXIBLE TRACK LIGHTING, VERIFY LOCATION IN FIELD
12. CENTER EXHAUST FAN OVER WATERCLOSET.
13. CENTER RECESSED CAN IN CEILING
14. PROVIDE ONE AUTOMATIC FIRE SPRINKLER HEAD IN MEDGAS ROOM FOR COOLING OF TANKS IN CASE OF FIRE.

Ceiling Legend

SUSPENDED ACOUSTICAL TILE CEILING
 ARMSTRONG DUNE
 24X24, 15/16 GRID, TEGULAR, WHITE
 SEE DETAIL A13/D2 FOR GRID BRACING


HARD LID CEILING/SOFFIT
 LEVEL 4 - SMOOTH TEXTURE
 PAINT: MATCH ADJACENT WALL PAINT
 EGGSHELL FINISH.
 SEE DETAIL A11/D2 FOR TYPICAL BRACING

Fixture Legend - Mechanical

SYMBOL	DESCRIPTION
	TITUS ONE/TWO/THREE SLOT LINEAR DIFFUSER/RETURN, TYP 4, WHITE
	TITUS OMNI DIFFUSER/RETURN, 24X24 WHITE
	TITUS TMS, 24X24 DIFFUSER/RETURN WHITE
	SEIHO TT MINI ADJUSTABLE CEILING DIFFUSER 8" Ø
	SEIHO PK SPOT DIFFUSER - ALUMINUM MILL FINISH 16" Ø
	SEIHO NTX TURBONOZZLE- ALUMINUM MILL FINISH 16" Ø
	EXHAUST FAN - SEE MECHANICAL SHEET FOR TYPE AND SPECIFICATION

General Notes

- A. VERIFY GRID LAYOUT AND CENTERING PRIOR TO INSTALL.
- B. VERIFY PLACEMENT OF ALL LIGHTS AND DIFFUSERS WITH TENANT AND EQUIPMENT SUPPLIER.
- C. RECESSED CAN LIGHTING TO BE CENTERED IN ACOUSTICAL TILE CEILING, U.N.O
- D. SEE LIGHTING SCHEDULE SHEET E-2 FOR FIXTURE TYPES.
- E. SUSPENDED ACOUSTICAL TILE CEILING TO BE INSTALLED IN ACCORDANCE WITH ASTM C 635 AND ASTM C 636.



8801 North Central Ave
 Suite 101
 Phoenix, Arizona 85020
 phone: 1.602.266.2712

ARCHITECT OF RECORD
 Dustin Curtis
 dustin.curtis@
 onearchitecture.us
 Project Manager
 Scott Wunderlich

Revisions

ANTHEM
 PEDIATRIC
 DENTAL
 10400 S Eastern Ave
 Henderson, Nevada
 10-24-16
 1620

A3.1

Ceiling Plan